



BIOART
Creative Dental Technicians

BIOART DENTAL AUSTRALIA P/L
ACN 078 740 315 ABN 99 627 813 153

Unit 1, 828 High St, Kew East VIC 3102

Telephone 03 9859 7300
Facsimile 03 9859 7299
Email smile@bioartdental.com.au
www.bioartdental.com.au

Case Description / Shades



Dentist
SURNAME GIVEN NAMES

Dentist Email

Client
SURNAME GIVEN NAMES

Age Male / Female Date

Date Required Time Required

Try In ☐ Finish ☐

Check List

Alginate Impression	<input type="checkbox"/>	<input type="checkbox"/>	Study Model	<input type="checkbox"/>	<input type="checkbox"/>
Articulator	<input type="checkbox"/>	<input type="checkbox"/>	Working Dies	<input type="checkbox"/>	<input type="checkbox"/>
Base Plates	<input type="checkbox"/>	<input type="checkbox"/>	Working Model	<input type="checkbox"/>	<input type="checkbox"/>
Diagnostic Wax-up	<input type="checkbox"/>	<input type="checkbox"/>	Crowns	<input type="checkbox"/>	<input type="checkbox"/>
Registration	<input type="checkbox"/>	<input type="checkbox"/>	Shade	<input type="checkbox"/>	<input type="checkbox"/>
			Others	<input type="checkbox"/>	<input type="checkbox"/>

Restoration Type

Porcelain Fused to Metal	<input type="checkbox"/>	Noble Yellow (BG)	<input type="checkbox"/>
Zirconia	<input type="checkbox"/>	Noble White (BG)	<input type="checkbox"/>
E-Max	<input type="checkbox"/>	Non Precious	<input type="checkbox"/>
Composite Crown	<input type="checkbox"/>	Titanium	<input type="checkbox"/>
Post / Core	<input type="checkbox"/>		
Full Metal Crown	<input type="checkbox"/>		

Occlusal Stain

None	<input type="checkbox"/>	Adjust opposing	<input type="checkbox"/>
Medium	<input type="checkbox"/>	Metal Occlusal	<input type="checkbox"/>
Light	<input type="checkbox"/>	Transfer coping	<input type="checkbox"/>
Dark	<input type="checkbox"/>	Call Dentist	<input type="checkbox"/>

If no occlusal clearance

<input type="checkbox"/>	Adjust opposing	<input type="checkbox"/>
<input type="checkbox"/>	Metal Occlusal	<input type="checkbox"/>
<input type="checkbox"/>	Transfer coping	<input type="checkbox"/>
<input type="checkbox"/>	Call Dentist	<input type="checkbox"/>

Preparation Details

Core Shade		Cosmo Post / Core	<input type="checkbox"/>
Vital	<input type="checkbox"/>	Composite Post / Core	<input type="checkbox"/>
Non Vital	<input type="checkbox"/>	Metal Post / Core	<input type="checkbox"/>

Margin and Metal Design

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

Pontic Design

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

In the interest of all parties, please follow universal precautions of sterilisation, disinfection and barrier techniques. Thank you.



BIOART
Creative Dental Technicians

BIOART DENTAL AUSTRALIA P/L
ACN 078 740 315 ABN 99 627 813 153

Unit 1, 828 High St, Kew East VIC 3102

Telephone 03 9859 7300
Facsimile 03 9859 7299
Email smile@bioartdental.com.au
www.bioartdental.com.au

Case Description / Shades

All Restorations Made in Australia



Dentist
SURNAME GIVEN NAMES

Dentist Email

Client
SURNAME GIVEN NAMES

Age Male / Female Date

Date Required Time Required

Try In ☐ Finish ☐

Components

Fixture head replica	<input type="checkbox"/>
Guide pin	<input type="checkbox"/>
Abutment	<input type="checkbox"/>
Abutment screw	<input type="checkbox"/>
Soft tissue model	<input type="checkbox"/>
Cross pin screw	<input type="checkbox"/>
Model - Upper	<input type="checkbox"/>
Model - Lower	<input type="checkbox"/>
Impression - Upper	<input type="checkbox"/>
Impression - Lower	<input type="checkbox"/>
Registration	<input type="checkbox"/>
Baseplate	<input type="checkbox"/>
Silicone key	<input type="checkbox"/>
Others:	<input type="checkbox"/>

Pontic Design

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

Key: ☐ Implant Type Eg: ☐ Branemark
☐ Implant Size ☐ 3.75

